Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



if undelivered return to


LOUISVILLE SEED CO.

INCORPORATED

Exclusively Wholesale

831 W. Main Street - LOUISVILLE, KY.

RETURN POSTAGE GUARANTEED



Sec. 562 P. L. & R.

U. S. POSTAGE

PAID

LOUISVILLE, KY.

PERMIT No. 60

U. S. Dept. of Agriculture.
Washington, D. C.

PRICE LIST

Today's Most Important Mail



Subject to immediate acceptance and market change we quote f.o.b. Louisville,

JANUARY 10th, 1940

Seeds Are Sold For Cash

Terms: Draft with bill of lading attached. Open shipments subject to sight draft within ten days.

RED CLOVER ,	
1 to 4	ER 100 LBS 5 bags or more
Gold Medal \$19.50	er more
Choice 18.50	
R. C 17.50	
N. G	17.00
SAPLING CLOVER	
Gold Medal \$20.00	\$19.50
Choice 19.00	
R. C 18.00	
ALSIKE	
Gold Medal \$23.00	\$22.50
Choice 21.50	21.00
R. C 19.50	
ALFALFA	
Gold Medal Kansas	
U. S. Verified \$23.00	\$22.50
Gold wiedal Oklahoma	
U. S. Verified \$19.50	\$19.00
GRIMM ALFALFA	
Gold Medal Kan.	
U. S. Verified \$26.50	\$26.00
Gold Medal Okla.	
U. S. Verified \$22.50	\$22.00
OBSET GLOVED	
SWEET CLOVER	0/ 75
Gold Medal Wh. Blo. \$7.00	\$6.75
Gold Medal Yel. Blo. 7.50	
Unhulled White Blo. 5.50	5. 25
KOREAN	
Gold Medal \$6.50	\$6.25
	5.50
Choice 5.75 R. C 5.25	
N. C	3.00

narket change we quote f.o.b. Louisvill					
TIMOTHY PER 100 LBS 1 to 4 5 bags bags or more					
Gold Medal \$6.50 \$6.25					
Abe(99% pure) 6.25 6.00					
Choice 5.75 5.50					
R. C 5.25 5.00					
ORCHARD GRASS					
Gold Medal \$17.50 \$17.00					
Choice 17.00 16.50					
R. C 16.00 15.50					
KENTUCKY BLUE GRASS					
Gold Medal \$19.50 \$19.00					
Choice 19.00 18.50					
Extra Heavy Fancy . 25.00 24.50					
Carra francy . 20.00 24.50					
RED TOP					
Gold Medal \$11.00 \$10.75					
Abe (90% pure) 10.75 10.50					
Choice 10.25 10.00					
R. C 10.00 9.75					
PASTURE MIXTURE					
Contains Red Clover, Red Top, Tim-					
othy, Orchard Grass, Korean.					
\$7.00 \$6.50					
RYE GRASS					
Gold Medal \$6.50 \$6.25					
0014 .10441					
MISCELLANEOUS					
Poa Trivialis \$40.00 \$39.00					
White Clover 65.00 60.00					
Common Lespedeza 12.50					
. 12.30 12.00					
ALL STATE TAGS AND					
OMARINO INVIOLOND AN COOM					

SOY BEANS
Virginia
Black Wilson Ask
Kingwa
Norredo for
Manchu
Early Yellow prices
Mammoth Yellow
COW PEAS
Whipporwills Ask
New Era for
Mixed prices
I A WAL OR ACC
LAWN GRASS FER CWT,
Shady Place \$28.00
Gold Medal 26.00 Cherokee 24.00
Cherokee 24.00 In attractive one pound cartons,
packed thirty and fifty to a case.
Above grades in bulk \$2.00 cwt less.
nove grades in bulk \$2.00 evt 1655.
SEED SOWERS EACH DOZEN
Cyclone \$1.70 \$20.00
Horn

GOLD MEDAL INOCULATOR HIGH QUALITY HUMUS CULTURES

For SMALL SEEDS such as Alfalfa, Sweet Clover, Red, Mammoth, White and Alsike

ORDERS FOR LESS THAN BAG LOTS WILL BE CHARGED FOR 50¢ PER 100 LBS HIGHER THAN LIST PRICES.

STAMPS INVOICED AT COST

DISCLAIMER == The Louisville Seed Company gives no warranty, expressed or implied, as to description, quality or any other matter of any seed it sells and will not be responsible for the crop.





OUR GUARANTEE

IF ANY SHIPMENT OF SEEDS IS NOT AS GOOD AS SAMPLE OR BETTER; IF ANY SHIPMENT OF SEEDS IS NOT SOUND, CLEAN AND GOOD; IF WE DO NOT FULFILL EVERY WRITTEN OR VERBAL PROMISE; IN A WORD, IF YOU ARE NOT THOROUGHLY SATISFIED WITH GOLD MEDAL SEEDS SHIP THEM BACK IMMEDIATELY AT OUR EXPENSE. WE TAKE ALL THE RISK; WE STAND ALL COST.

TACK UP FOR FUTURE REFERENCE



"He Reaps Most Who Sows Best"

Lbs. Per Bu. Lbs. Per Acre 47 Barley	LEGAL WEIGHTS OF SEED AND GRAIN ALSO QUANTITY PER ACRE				
60 Beans, Soy, broadcast 60—80 14 Bluegrass, Kentucky 21—28 48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 31 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 50 Corn 6—12 50 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—56	Lbs. Per Bu. Lbs. Per Acre				
60 Beans, Soy, broadcast 60—80 14 Bluegrass, Kentucky 21—28 48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 20—30 60 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 <	47				
14 Bluegrass, Kentucky 21—28 48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn 6—12 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—56 32 Oats 50—65 14 Orch	60				
48 Buckwheat 50 — 75 50 Cane, Drill 10 — 15 50 Cane, broadcast 50 — 75 60 Clover, Alfalfa, drills 15 — 20 60 Clover, Alfalfa, broadcast 18 — 22 60 Clover, Alsike (alone for forage) 8 — 15 60 Clover, Alsike (on wheat or rye in spring) 4 — 6 60 Clover, Crimson 12 — 15 25 Clover, Japan (Lespedeza) 15 — 25 60 Clover, Sapling (Mammoth) 10 — 15 60 Clover, Red (alone for forage) 10 — 15 60 Clover, Red (on small grain in spring) 7 — 12 60 Clover, Sweet (hulled) 10 — 15 33 Clover, Sweet (unhulled) 20 — 30 60 Clover, White 10 — 20 56 Corn 6 — 12 56 Corn (for Silage) 40 — 56 50 Millet, All Varieties (for seed) 25 — 40 50 Millet, All Varieties (for hay) 40 — 56 32 Oats 50 — 65 14 Orchard Grass 20 — 30	60	Beans, Soy, broadcast	60— 80		
50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 33 Clover, Sweet (unbulled) 20—30 60 Clover, White 10—20 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8	14	Bluegrass, Kentucky	21— 28		
50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 32 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 <td< td=""><td>48</td><td></td><td></td></td<>	48				
60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 56 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 <td>50</td> <td>Cane, Drill</td> <td>10 15</td>	50	Cane, Drill	10 15		
60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15	50	Cane, broadcast	50— 75		
60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15 <t< td=""><td>60</td><td>Clover, Alfalfa, drills</td><td>15— 20</td></t<>	60	Clover, Alfalfa, drills	15— 20		
60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15 <t< td=""><td>60</td><td>Clover, Alfalfa, broadcast</td><td>18— 22</td></t<>	60	Clover, Alfalfa, broadcast	18— 22		
60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Sudan Grass 15— 25 45 Timothy 10— 15 55 Timothy and Alsike <td>60</td> <td>Clover, Alsike (alone for forage)</td> <td> 8— 15</td>	60	Clover, Alsike (alone for forage)	8— 15		
25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15 56 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hair	60	Clover, Alsike (on wheat or rye in spring).	4— 6		
60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 <	60				
60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 <td>25</td> <td></td> <td></td>	25				
60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 <	60	Clover, Sapling (Mammoth)	10— 15		
60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Clover, Red (alone for forage)	10— 15		
33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Clover, Red (on small grain in spring)	7— 12		
60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Clover, Sweet (hulled)	10— 15		
56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	33	Clover, Sweet (unhulled)	20— 30		
56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Clover, White	10— 20		
50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	56	Corn	6— 12		
50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	56	Corn (for Silage)	40— 56		
32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	50	Millet, All Varieties (for seed)	25— 40		
14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50	Millet, All Varieties (for hay)	40 50		
60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	32	Oats	50— 65		
60 Peas, Cowpeas (broadcast) .75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) .10— 15 56 Rye .56—112 25 Sudan Grass .15— 25 45 Timothy .10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) .35— 50 60 Vetch, Hairy (broadcast) .50— 75	14	Orchard Grass	20— 30		
50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	60				
50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	Peas, Cowpeas (broadcast)	75— 90		
14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50	Rape (drill)	4— 8		
14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50	Rape (broadcast)	8— 10		
56 Rye .56—112 25 Sudan Grass .15— 25 45 Timothy .10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) .35— 50 60 Vetch, Hairy (broadcast) .50— 75	14				
25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	14	Red Top (unhulled)	10— 15		
45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	56	Rye	56—112		
45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	25	Sudan Grass	15— 25		
60 Vetch, Hairy (drills)	45	Timothy	10 15		
60 Vetch, Hairy (broadcast)50— 75	45	Timothy and Alsike	8— 10		
	60				
	60	Vetch, Hairy (broadcast)	50— 75		
	60				

Louisville Seed Company

831 West Main Street

LOUISVILLE, KENTUCKY